



# BLACK LOWE & GRAHAM<sup>PLLC</sup>

*Intellectual Property Attorneys*

701 Fifth Avenue, Suite 4800  
Seattle, Washington 98104  
206.381.3300 • F: 206.381.3301  
blacklow.com

## FACSIMILE COVER SHEET

FAX TO: Examiner Andrea Ragonese  
FACSIMILE NO: 703-746-8774  
SUBJECT: REPLACEMENT EXAMINER'S AMENDMENT FOR APPLICATION 10/605,267  
FROM: Myla Kent for Mark D. Byrne  
DATE: November 11, 2004  
OUR REFERENCE: INJS-1-1002

MESSAGE: Please see attached documents, as we discussed approximately at 9 AM PST this morning.

Attached please find a replacement Examiner's Amendment to the Examiner's Amendment that included new claims 21-25 that was previously facsimile transmitted on 9 November 2004. The Replacement Examiner's Amendment does not include the new claims 21-25. Similarly, prior references in the remarks section referring to the new claims has been deleted in the Replacement Examiner's Amendment.

Please consider entering the Replacement Examiner's Amendment.

Regards,

Mark Byrne

Registration No. 50,125  
Direct Dial 206.957.2481

The contents of this facsimile are privileged and confidential and intended only for the named recipient. If you received this facsimile in error, please notify us immediately by telephone and either destroy this copy or return it to us by mail.

This facsimile is [ 17 ] pages in length, including the cover sheet.

Please call 206.381.3300 immediately if any pages need to be retransmitted.



*via November 11, 2004 Facsimile Communication to Examiner Andrea Ragonese*

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicant:	Ernest J. Storrer	Attorney Docket No.	INJS-1-1002
Serial No.:	10/605,267	Group Art Unit:	3743
Filing Date:	September 18, 2003	Examiner:	RAGONESE, A.
Title:	IMPROVED MOISTURE REMOVAL SYSTEM		

**RESPONSE TO TELEPHONIC INTERVIEW:  
AMENDMENTS FOR CONSIDERATION**

TO THE COMMISSIONER OF PATENTS:

The following amendments are presented pursuant to a telephonic interview with Examiner Andrea Ragonese conducted November 4, 2004 and subsequently on November 11, 2004.

Applicants respectfully request entry of the following claim and specification amendments for consideration to move the instant application towards allowance and eventual issuance.

Amendments to the Drawings begin on page 2. Figure sheets showing the drawing amendments are attached with this communication.

Amendments to the specification to comport with the amended and new figures begin on page 3.

Amendments to the claims begin on page 5.

BLACK LOWE & GRAHAM <sup>ATTORNEYS</sup>

25315

CUSTOMER NUMBER

- 1 -

INJS-1-1002 Examiner Amendment

701 Fifth Avenue, Suite 4800  
Seattle, Washington 98104

**AMENDMENTS TO THE DRAWINGS**

Please amend FIGURES 5A-5E as provided in the attached drawings. The amended figures now illustrate with specification reference characters to the term "membrane" and to other cited figure elements. No new matter has been added.

Please add new FIGURE 7 that further illustrates in cross-section the "membrane" and other specification-recited figure elements. No new matter has been added.

**25315**

CUSTOMER NUMBER

- 2 -

INUS-1-10022Examiner's Attachment

BLACK LOWE & GRAHAM <sup>1410</sup>701 Fifth Avenue, Suite 4800  
Seattle, Washington 98104